



NEW TYPE CASTER RIG (新式腳架):



新式腳輪
New Patented Type



舊式腳輪
Traditional Type

腳架迴轉系統下方使用精密軸承，上方使用球型鋼珠，迴轉極順暢、靜音、無間隙
比傳統式腳架耐荷重1.5倍，使用壽命增長，即是降低成本

現有系列可配合車輪尺寸：**2.5"x1"~5"x1" / 3"x1.25"~6"x1.25"**

- * The underside the caster rig rotary system uses the precision bearing, and the upper used the ball rolling.
- * The rotation extremely smooth, static sound, non-clearance
- * The bears load capacity 1.5 times compared to the traditional type, will prolong the caster rig life and cost reduction.
- * The existing series may coordinate the caster size as below: 2.5" x 1" ~ 5" x 1" 3" x 1.25" ~ 6" x 1.25"
- * Other specifications and size are available upon request

NEW EC SERIES

Electric conductive wheel 抗靜電腳輪

					Load Capability (kg)		Remarks
					RU	PU	
			3"(1751)	1 1/4"(32)	60kg	60kg	*PU material. Can choose color and no mold seal. *PU材質，可選定顏色，不留輪印
			4"(1001)	1 1/4"(32)	70kg	80kg	
			5"(1125)	1 1/4"(32)	90kg	100kg	

NEW ZA SERIES

Zine Alloy casters 鋅合金輪

			Load Capability (kg)	Remarks
			60kg	* Housing zinc alloy plating standard, or you can choose nickel plating or chrome plating * 全鋅合金材質，鍍鉻處理
		50 m/m		

CODE NUMBER SYSTEM (腳輪編號標準):

1. Series Name (系列名稱) → **LD, MD**
2. Wheel diameter (輪徑) → **100, 125**
3. Material (輪子材質) → **TPU, RU**
4. Swivel or Rigid (活動輪或固定輪) → **S, R**
5. Fittings (A,B,C,D,E) (安裝方式) → **C**
6. Side Brake or Double Brake (SBorDB) (煞車方式) → **SB, DB**

例: **LD100TPU-S-A-DB**



SCOOTERS HOUSING
(滑板車腳輪)

FITTINGS (安裝方式):



A Plate
四方板式



B Threaded Screw
螺桿式



C Bolt With Circlip
扣環插桿式



D King Ping Hole
中孔式



E Round Solid Plug
插桿式

* We have all kinds of sizes and fittings, You are welcome to Inquire! 另有各種尺寸及安裝方式，歡迎洽詢！

THE KIND OF CASTERS (腳輪種類):



Swivel (活動)



Rigid (固定)



Swivel of L Type (活動L型)



Rigid of L Type (固定L型)



Side Brake 側煞



Side Brake (UP Lock)
側煞(上方鎖定)



Double Brake 1 (雙煞1)



Round Solid Plug (插桿式)



Bell Type Caster (金鐘罩)



Shopping Car (購物車)



Back Brake (後煞)



Floor Lock (頂高器)

1. LD SERIES

Light duty casters 輕型輪

			Load Capability (kg)						Remarks
			PP	NY	RU	CU	TPU	TPR	
	2"(50)	7/8(22)	30kg	40kg	30kg	-	40kg	40kg	* Housing zinc plating standard, or you can choose nickel plating or chrome plating. * 腳架為鍍鋅處理, 另可依需求選用鍍鎳或鍍鉻
	2 1/2"(62)	7/8(22)	40kg	50kg	40kg	-	50kg	50kg	
	3"(75)	7/8(22)	50kg	60kg	50kg	-	60kg	60kg	

2. IM SERIES

Instrumental casters 儀器輪&醫療輪

			Load Capability (kg)						Remarks
			PP	NY	RU	CU	TPU	TPR	
	2 1/2"(62)	1"(25)	50kg	55kg	50kg	-	60kg	60kg	* Housing zinc plating standard, or you can choose nickel plating or chrome plating. * 腳架為鍍鋅處理, 另可依需求選用鍍鎳或鍍鉻
	3"(75)	1"(25)	60kg	65kg	60kg	-	70kg	70kg	
	4"(100)	1 1/4"(32)	80kg	90kg	80kg	-	80kg	80kg	
	5"(125)	1 1/4"(32)	90kg	100kg	90kg	-	90kg	90kg	
	6"(150)	1 1/4"(32)	-	-	-	-	120kg	120kg	

3. LM SERIES

Light medium duty casters 輕中型輪

			Load Capability (kg)						Remarks
			PP	NY	RU	CU	TPU	TPR	
	2"(50)	1"(25)	40kg	45kg	40kg	-	50kg	50kg	* Housing zinc plating standard, or you can choose nickel plating or chrome plating. * 腳架為鍍鋅處理, 另可依需求選用鍍鎳或鍍鉻
	2 1/2"(62)	1"(25)	50kg	55kg	50kg	-	65kg	65kg	
	3"(75)	1"(25)	60kg	65kg	60kg	-	70kg	70kg	
	4"(100)	1"(25)	65kg	70kg	65kg	-	75kg	75kg	
	5"(125)	1"(25)	70kg	75kg	75kg	-	80kg	80kg	

4. MD SERIES

Medium duty casters 中型輪

			Load Capability (kg)						Remarks
			PP	NY	RU	CU	TPU	TPR	
	3"(75)	1 1/4"(32)	70kg	80kg	70kg	100kg	80kg	80kg	* Housing zinc plating standard, or you can choose nickel plating or chrome plating. * The house size from 3" to 5" can choose stainless steel material. * 腳架為鍍鋅處理, 另可依需求選用鍍鎳或鍍鉻 * 3"~5"腳架可選用不鏽鋼材質
	4"(100)	1 1/4"(32)	80kg	90kg	80kg	120kg	100kg	100kg	
	5"(125)	1 1/4"(32)	100kg	110kg	100kg	120kg	120kg	120kg	
	6"(150)	1 1/4"(32)	-	-	-	-	150kg	150kg	

5. MH SERIES

Medium heavy duty casters 中重型輪

			Load Capability (kg)						Remarks * Housing zinc plating standard, or you can choose nickel plating or chrome plating. * 腳架為鍍鋅處理, 另可依需求選用鍍鎳或鍍鉻
			PP	NY	RU	CU	TPU	TPR	
	4"(100)	1 1/2"(38)	100kg	150kg	100kg	180kg	150kg	150kg	
	5"(125)	1 1/2"(38)	120kg	180kg	120kg	200kg	180kg	180kg	
	6"(150)	1 1/2"(38)	150kg	200kg	150kg	220kg	200kg	200kg	

6. HDL SERIES

Heavy duty casters (L type) 重型輪(L型腳架)

			Load Capability (kg)						Remarks * Housing zinc plating standard, or you can choose nickel plating or chrome plating. * The house size from 3" to 5" can choose stainless steel material. * 腳架為鍍鋅處理, 另可依需求選用鍍鎳或鍍鉻 * 4"~5" 腳架可選用不鏽鋼材質
			PP	NY	RU	CU	TPU	TPR	
	4"(100)	2"(50)	200kg	220kg	150kg	250kg	230kg	230kg	
	5"(125)	2"(50)	250kg	280kg	180kg	300kg	250kg	250kg	
	6"(150)	2"(50)	300kg	320kg	200kg	350kg	270kg	270kg	
	8"(200)	2"(50)	320kg	350kg	220kg	400kg	300kg	300kg	

7. LB SERIES

Heavy duty casters (lower base) 重型輪(美式低床型)

			Load Capability (kg)						Remarks * Housing zinc plating standard, or you can choose nickel plating or chrome plating. * 腳架為鍍鋅處理, 另可依需求選用鍍鎳或鍍鉻
			PP	NY	RU	CU	TPU	TPR	
	2 1/2"(62)	1 3/4"(45)	150kg	180kg	-	-	-	-	
	3"(75)	1 3/4"(45)	200kg	220kg	-	250kg	-	-	

8. FT SERIES

Furniture casters 傢俱輪

			Load Capability (kg)		Remarks
			PP	NY	
		30 m/m	20kg	25kg	
		40 m/m	25kg	30kg	
		50 m/m	-	40kg	

THE TRANSPORT APPARATUS SERIES (物流設備):

Fold away Compactable (物流台車)

specification 規格	size 外型尺寸(m/m)			wheel 輪子
c-001	800	600	1450	6"
c-002	800	600	1700	6"
c-003	950	800	1700	6"
c-004	1100	800	1700	6"

Japan type casters (日式輪)



Hand Trolley (手推車)



HT-01



HT-03



HT-02



HT-04



HT-04

Storehouse basket 倉庫籠



Specification 規格表

	TYPE 型式	line dia 線徑 m/m	net dist 網間隔 m/m	size 外型尺寸(m/m)			foot high 腳高 m/m	weight 重量 kg	foot inside size 腳部內側尺寸		capacity 容積 m3	capacity 容量 kg	pile up 堆疊 段數
				L	W	H			L	W			
一般規格	A-3	6.0	50x50	800	600	640	100	31	660	370	0.22	800	4
	A-5	6.0	50x50	1000	800	840	100	49	570	570	0.52	1200	4
	A-7	6.0	50x50	1200	1000	900	100	66	770	770	0.84	1500	4
特殊標準規格	B-5	6.4	50x50	1000	800	840	100	54	570	570	0.52	1500	4
	B-7	6.4	50x50	1000	1000	900	100	75	770	770	0.84	2000	4
	B-5-1/2	6.4	50x50	1000	800	500	100	39	570	570	0.26	1000	4
	S-5	6.4	50x100	1000	800	840	100	44	570	570	0.52	1000	4
	S-7	6.4	50x100	1200	1000	900	100	62	770	770	0.84	1000	4
	C-2	5.0	25x50	800	500	540	100	24	269	269	0.15	500	4
	C-5	5.0	50x50	1000	800	840	100	38	570	570	0.52	500	3
	E-2	3.0	30x30	800	500	530	100	17	296	296	0.15	250	4

NEW ELECTRIC SUPPORT LADDERS & CASTERS FOR SHOPPING CART 電扶梯腳輪、購物車輪:



電扶梯腳輪5"(125)活動式
Swivel casters
size5" / SP125SB



電扶梯腳輪5"(125)固定式
Fixed casters
size5" / SP125RB



新式電扶梯腳輪5"(125)活動式
New Swivel casters
size5" / NSP125SB



一般購物車用輪2"~6"(50~150)
Shopping cart casters
size6" / SP125S

THE WHEEL MATERIAL (輪子材質):



Polypropylene (P.P)
塑膠輪



Nylon (NY)
尼龍輪



Nylon (NY)
尼龍輪



Rubber (RU)
橡膠輪



Polypropylene
Polyurethane (TPU)
可塑性PU輪



Thermo-Plastic
Rubber (TPR)
彈性體橡膠輪



Rubber/Iron (RI)
鐵殼包橡膠輪



Polyurethane
Aluminum (AU)
鋁包PU輪



Nylon
Rubber (NU)
尼龍包橡膠輪



Polyurethane
Cast Iron (CU)
鑄鐵包PU輪

THE HEAVY DUTY WHEEL MATERIAL (重型輪材質):



Polypropylene (P.P)
塑膠輪



Nylon (NY)
尼龍輪



Polypropylene
Polyurethane (TPU)
可塑性PU輪



Thermo-Plastic
Rubber (TPR)
彈性體橡膠輪



Polyurethane
Aluminum (AU)
鋁包PU輪



Polyurethane
Cast Iron (CU)
鑄鐵包PU輪